

PRODUCT DESCRIPTION

BEX® Ultimate Performance Synthetic Trans 90 SAE 75W-80 is formulated using high viscosity-index paraffinic US virgin base stocks and specialty performance additives. Always consult the vehicle or equipment manual for proper fluid & maintenance guidelines. BEX® oils are warranted against defect when used & stored properly.

FEATURES & BENEFITS

- Extreme pressure protection against gear scuffing, pitting & adhesive wear in critical equipment parts
- Robust viscosity retention protects throughout fluid service life
- Delivers extended drain capabilities & fuel economy to minimize operating costs
- High Viscosity index & low temperature performance for easier startup
- Resistance to rust, oxidation, lacquer, sludge & varnish
- Compatible with a wide range of seal elastomers to prevent deterioration & fluid loss

TYPICAL PROPERTIES

TEST NAME	ASTM Method	75W-80
Kinematic Viscosity @ 100° C, cSt	D445	9.17
Kinematic Viscosity @ 40° C, cSt	D445	54.1
Viscosity Index	D2270	151
Flash Point °C / °F	D92	205 / 401
Pour Point °C / °F	D97	-50 / -58
API Gravity		35.6
Brookfield Viscosity, cP @-40C	D2983	19,300
Color	D1500	2.5

Typical test data may vary. Minor variations, which do not affect performance, may occur.

PACKAGING DETAIL & PART NUMBERS

	UNIT	Cubic	PALLET	PALLET	
PRODUCT PACK SIZE	WEIGHT	Feet	QTY	WEIGHT	PART NO.
Case 12/1L, net 12L	25.2	0.78	96	2515	B225Q
Case 4/ 4L, net 16L	33.5	1.03	60	2055	B225L
Case 4/5L, net 20L	42.5	1.22	40	2170	B225G
Pail 18.9L (5 gl)	38.0	1.24	56	1640	B225P
Pail 20L	40.2	1.24	42	1735	B225J
Drum 208L (55 gl)	428	10.52	4	1760	B225D
Tote 1000L (265 gl)	1930	49.4	1	1930	B225T

TYPICAL APPLICATIONS

- Volvo 97305, 97307, 97318, API GL-4, MAN 341 Type E4
- Heavy Duty, on-road automated manual transmissions

HANDLING AND SAFETY INFORMATION - Refer to (SDS) Safety Data Sheets for proper handling and safety information. Use the same care and handling as for any petroleum product. Nothing herein shall be deemed to constitute a warranty, express or implied, that said information or data are correct or that the products described are merchantable or fit for a particular purpose, or that said information, data or products can be used without infringing patents of third parties.